

The following excerpt are pages from the North American
Product Technical Guide Volume 3: Modular Support Systems
Technical Guide, Edition 1.

Please refer to the publication in its entirety for complete details on this product including load values, approvals/listings, general suitability, finishes, quality, etc.

To consult directly with a team member regarding our modular support system products, contact Hilti's team of technical support specialists between the hours of 7:00am – 6:00pm CST.

US: 877-749-6337 or HNATechnicalServices@hilti.com

CA: 1-800-363-4458, ext. 6 or CATechnicalServices@hilti.com

www.hilti.com



## 3.0 MODULAR SUPPORT SYSTEM 3.1 MT PROFILES

#### Approvals / Listings

**ICC-ES (International Code Council)** ESR-5019 for Cold-Formed Steel per AISI S100-16/ICC-ES AC46

ELC-5019 for Cold-Formed Steel per CSA S136-16

**ETA (European Technical Assessment)** ETA-21/0414 for HILTI Installation Channels of MT System

ETA-21/1017 for HILTI Channel Connectors of MT System ETA-21/1045 for HILTI Base Connectors of MT System ETA-21/1046 for HILTI Angle Connectors of MT System ETA-22/0194 for HILTI Saddle Nuts of MT System

ETA-22/0195 for HILTI Cantilevers of MT System

**COLA (City of Los Angeles)** 2023 LABC Supplement (within ESR-5019)

California Building Code 2022 California Building Code (CBC) Supplement (within ESR-5019)







### Table 1 - MT Profile Material Specifications, Corrosion Protection, and Ordering Information

Description	Material Specifications 1,2	Type of Coating	Finish	Length ft (m)	Item No.
MT-10	EN 10346 S280GD	Indoor	Pre-Galvanized	6'-6 3/4" (2)	2268492
MT-15	EN 10346 S280GD	Indoor	Pre-Galvanized	6'-6 3/4" (2)	2268493
MT-15 OC	EN 10346 S280GD	Outdoor	Zinc Magnesium	6'-6 3/4" (2)	2268494
MT-20	EN 10346 S280GD	Indoor	Pre-Galvanized	6'-6 3/4" (2)	2268495
MT-20 OC	EN 10346 S280GD	Outdoor	Zinc Magnesium	6'-6 3/4" (2)	2268496
MT-30 S	EN 10346 S280GD	Indoor	Pre-Galvanized	9'-10" (3)	2268497
MT-30	EN 10346 S280GD	Indoor	Pre-Galvanized	19'-8 1/4" (6)	2268498
MT-30 S OC	EN 10346 S280GD	Outdoor	Zinc Magnesium	9'-10" (3)	2268499
MT-30 OC	EN 10346 S280GD	Outdoor	Zinc Magnesium	19'-8 1/4" (6)	2268500
MT-50 S	EN 10346 S280GD	Indoor	Pre-Galvanized	9'-10" (3)	2268509
MT-50	EN 10346 S280GD	Indoor	Pre-Galvanized	19'-8 1/4" (6)	2268510
MT-50 S OC	EN 10346 S280GD	Outdoor	Zinc Magnesium	9'-10" (3)	2268511
MT-50 OC	EN 10346 S280GD	Outdoor	Zinc Magnesium	19'-8 1/4" (6)	2268512
MT-60 S	EN 10346 S280GD	Indoor	Pre-Galvanized	9'-10" (3)	2268513
MT-60	EN 10346 S280GD	Indoor	Pre-Galvanized	19'-8 1/4" (6)	2268514
MT-60 S OC	EN 10346 S280GD	Outdoor	Zinc Magnesium	9'-10" (3)	2268515
MT-60 OC	EN 10346 S280GD	Outdoor	Zinc Magnesium	19'-8 1/4" (6)	2268516
MT-70 S OC	EN 10346 S350GD	Outdoor	Zinc Magnesium	9'-10" (3)	2268364
MT-70 OC	EN 10346 S350GD	Outdoor	Zinc Magnesium	19'-8 1/4" (6)	2268365
MT-80 S OC	EN 10346 S350GD	Outdoor	Zinc Magnesium	9'-10" (3)	2268366
MT-80 OC	EN 10346 S350GD	Outdoor	Zinc Magnesium	19'-8 1/4" (6)	2268367
MT-90 S OC	EN 10346 S350GD	Outdoor	Zinc Magnesium	9'-10" (3)	2268368
MT-90 OC	EN 10346 S350GD	Outdoor	Zinc Magnesium	19'-8 1/4" (6)	2268369
MT-100 S OC	EN 10346 S350GD	Outdoor	Zinc Magnesium	9'-10" (3)	2268490
MT-100 OC	EN 10346 S350GD	Outdoor	Zinc Magnesium	19'-8 1/4" (6)	2268491

<sup>1.</sup> Mechanical properties of EN 10346 Grade S280 GD meet or exceed the mechanical properties of ASTM A653/A1046 SS Grade 37.


<sup>2.</sup> Mechanical properties of EN 10346 Grade S350 GD meet or exceed the mechanical properties of ASTM A653/A1046 SS Grade 50 Cl4.



## 3.0 MODULAR SUPPORT SYSTEM

## 3.1 MT PROFILES

Table 2 - MT Angle and Channel Profile Dimensions





## 3.0 MODULAR SUPPORT SYSTEM 3.1.1 CROSS-SECTION PROPERTIES OF MT PROFILES

## Table 7 - Cross-Section Properties of MT Channel Profiles 1,3,4,5

Description	Symbol	Units	MT-20 MT-20 OC	MT-30 S MT-30 MT-30 S OC MT-30 OC	MT-50 S MT-50 MT-50 S OC MT-50 OC	MT-60 S MT-60 MT-60 S OC MT-60 OC
Profile of cross-section	-	-	Width x-axis y-axis	Width → C.G. x-axis y-axis	Width x-axis y-axis	Width C.G. x-axis
Design thickness	t	in (mm)	0.069 (1.75)	0.079 (2)	0.108 (2.75)	0.108 (2.75)
Width	-	in (mm)	1.10 (28)	1.67 (42.5)	1.67 (42.5)	1.67 (42.5)
Depth	-	in	1.67	0.91	1.67	2.83
Weight	w	(mm) lbs/ft	(42.5) 0.84	(23)	(42.5) 1.97	(72) 2.83
Minimum specified yield strength	F <sub>y</sub>	(kg/m) ksi	(1.25) 40.6	(1.64) 40.6	(2.93) 40.6	(4.21) 40.6
Modulus of elasticity	E E	(MPa) ksi	(280) 29,500	(280) 29,500	(280) 29,500	(280) 29,500
·		(MPa)	(203,400)	(203,400)	(203,400)	(203,400)
Gross Section Properties <sup>2</sup>	Ι.	in <sup>2</sup>	0.291	0.322	0.583	0.834
Gross cross-sectional area	A <sub>g</sub>	(mm²) in⁴	(187.59) 0.0489	(207.95) 0.0351	(376.02) 0.2033	(538.27) 0.7904
Moment of inertia of the gross section about x-axis	I <sub>x</sub>	(mm <sup>4</sup> )	(20,349)	(14,621)	(84,619)	(329,006)
Moment of inertia of the gross section about y-axis	l <sub>y</sub>	in⁴ (mm⁴)	0.1272 (52,943)	0.1274 (53,018)	0.2611 (108,670)	0.4153 (172,864)
Gross section-modulus about x-axis	S <sub>x</sub>	in <sup>3</sup> (mm <sup>3</sup> )	0.0742 (1,216)	0.067 (1,098)	0.2165 (3,548)	0.5146 (8,432)
Gross section-modulus about y-axis	S <sub>y</sub>	in <sup>3</sup> (mm <sup>3</sup> )	0.152 (2,491)	0.1523 (2,495)	0.3121 (5,114)	0.4964 (8,135)
Radius of gyration of the gross section about x-axis	r <sub>x</sub>	in	0.41	0.33	0.591	0.973
Radius of gyration of the gross section about y-axis	r <sub>y</sub>	(mm) in	(10.42) 0.661	(8.39) 0.629	(15) 0.669	0.706
Effective Section Properties	. у	(mm)	(16.8)	(15.97)	(17)	(17.92)
Effective moment of inertia about x-axis	L	in <sup>4</sup>	0.0443	0.0327	0.2005	0.7802
	x-eff	(mm⁴) in⁴	(18,439) 0.0901	(13,594) 0.1264	(83,452) 0.2611	(324,725) 0.4153
Effective moment of inertia about y-axis	y-eff	(mm <sup>4</sup> )	(37,509) 0.0673	(52,608) 0.0623	(108,664) 0.2135	(172,858) 0.5079
Effective section modulus about x-axis at stress = F <sub>y</sub>	S <sub>x-eff</sub>	(mm³)	(1,102)	(1,021)	(3,499)	(8,323)
Effective section modulus about y-axis at stress = F <sub>y</sub>	S <sub>y-eff</sub>	in³ (mm³)	0.1077 (1,765)	0.1511 (2,476)	0.3121 (5,114)	0.4964 (8,135)
Allowable bending moment based on local buckling about x-axis ( $\Omega_{\rm b}$ = 1.67)	$M_{a-x}$	k-in (kN m)	1.845 (0.208)	1.92 (0.216)	6.8 (0.768)	15.53 (1.755)
Allowable bending moment based on local buckling about y-axis ( $\Omega_{\rm b}$ = 1.67)	M <sub>a-y</sub>	k-in (kN m)	2.88 (0.325)	4.21 (0.476)	8.46 (0.956)	12.8 (1.446)
Allowable bending moment for distortional buckling about x-axis based on K $\phi$ = 0 ( $\Omega_b$ = 1.67)	M <sub>ad-x</sub>	k-in (kN m)	1.685 (0.19)	1.77 (0.199)	6.03 (0.682)	12.41 (1.402)
Allowable bending moment for distortional buckling about y-axis based on $K\phi = 0$ ( $\Omega_h = 1.67$ )	M <sub>ad-y</sub>	k-in (kN m)	2.501	3.79	8.46	11.88
Allowable shear about x-axis (Ω = 1.6)	V <sub>a-x</sub>	lbs	(0.283) 1,466	(0.428) 1,629	(0.956)	(1.342) 2,103
Allowable shear about y-axis ( $\Omega_v = 1.6$ )		(N) Ibs	(6,516) 1,735	(7,240) 1,416	(9,348) 4,205	(9,348) 8,036
Torsional Section Properties <sup>2</sup>	V <sub>a-y</sub>	(N)	(7,712)	(6,295)	(18,691)	(35,720)
St. Venant Torsional Constant	J	in <sup>4</sup>	0.0005	0.0007	0.0023	0.0033
		(mm <sup>4</sup> ) in <sup>6</sup>	(191.50) 0.0368	(277.26) 0.0323	(947.89) 0.1593	(1,356.90) 0.5991
Torsional Warping Constant	C <sub>w</sub>	(mm <sup>6</sup> ) in	(9,881,442)	(8,685,395)	(42,771,610)	(160,884,400)
Distance from the centroid to the shear center along the principal x-axis	X <sub>0</sub>	(mm)	0	0.868	0 1.579	2.740
Distance from the centroid to the shear center along the principal y-axis	Y <sub>0</sub>	in (mm)	0.988 (25.1)	(22.05)	(40.11)	(69.59)
Distance from shear center to centroid to mid-plane of web	m	in (mm)	0.60 (15.1)	0.45 (11.4)	0.90 (22.9)	1.50 (38.0)
Net polar radius of gyration about the shear center	r <sub>o</sub>	in (mm)	1.258 (31.95)	1.122 (28.49)	1.814 (46.07)	2.992 (76.00)
Coefficient for determining critical elastic lateral-torsional buckling stress	β	-	0.4	0.4	0.2	0.2

<sup>1.</sup> Tabulated values are in accordance with ICC-ES ESR-5019 and AISI-S100-16, the North American Specification for the Design of Cold-Formed Steel Structural Members.

2. Tabulated gross properties, including torsional properties, are based on the full unreduced cross section of the profiles, away from the punched holes and slots.

3. For deflection calculations, use the effective moment of inertia.

4. Allowable moment is the lesser of M<sub>a</sub> and M<sub>ad</sub>.

5. C.G. is the center of gravity of the profile cross-section.




## **Beam Design Fundamentals**

Hilti modular support system profiles may be used in a wide variety of beam applications. Beams are structural elements that resist applied loads perpendicular to their length.

Beams must be designed for shear, flexure (bending), torsion, and deflection. In some cases, beams may be subjected to an axial load that acts concurrently with the applied perpendicular loads, and the member must be accordingly designed for the combined effects of bending and compression. Examples of typical load, shear, and moment diagrams for beams are shown on page 31. Per AISI S100-16/CSA S136-16, cold-formed steel beams, which typically consist of highly customized profiles with very slender elements, must be designed for the effects of local buckling, distortional buckling, and for yielding and global buckling. Additionally, local buckling interacting with yielding and global buckling must be checked. The load values given in the beam tables in this technical guide represent the controlling load capacities for beams that are sufficiently laterally braced with due consideration of these limit states. A fully braced beam is restrained against twisting about the beam's longitudinal axis as well as lateral movement perpendicular to the beam's longitudinal axis. For unbraced conditions, reductions must be applied to the allowable loads per page 49.

## **Beam Loading**


Beam load tables in this technical guide are based on a "uniformly loaded" condition unless noted otherwise. Uniform loads are distributed evenly along the length of the member.




See page 32 for modification factors to be applied to allowable load values for non-uniform loading conditions.

## **Support Conditions**


A "simply-supported" beam is a single-span beam, supported at its ends, whose supports restrain translation (lateral movement) in the 3 orthogonal directions as well as twisting about the beam's longitudinal axis, but do not restrain bending moments.



A "fixed-end" beam is a single-span beam, supported at its ends, whose supports restrain translation and rotation (bending and twisting moments) in the 3 orthogonal directions. Several Hilti MT connectors allow for moment resistance which can be used to simulate a "fixed-end" beam.



A "cantilevered" beam is a single-span beam, supported at only end and free to translate and rotate at its other (unsupported) end. The supported end of a "cantilevered" beam is considered a "fixed-end". MT brackets are examples of "cantilevered" beams.



Note that beam load tables in this technical guide are based on a "simply-supported" beam span condition unless noted otherwise. See page 32 for modification factors to be applied to allowable load values for non-simply-supported span conditions.

#### **Deflection**

Beam designs can often be governed by deflection limits (serviceability). Beam deflections are computed based on the magnitude and type of applied loading, the member's length, L, elastic modulus, E, moment of inertia about the axis under consideration, I, and support conditions.

Allowable loads corresponding to deflection limits in this technical guide are based on "simply-supported" and "uniformly loaded" conditions. See page 32 for modification factors to be applied to allowable load values for other conditions.



## **Column Design Fundamentals**

Columns are structural elements that resist applied loads primarily in axial compression along their length.

A column's capacity is based on its unbraced length (noted as "height" in load tables), support conditions, cross-sectional properties, material properties, and load location (i.e. whether applied at the column's center of gravity or at the face of the profile).

## **Column Unbraced Length**

The unbraced length of a column represents the distance between braced locations. Braced locations along a column are restrained against lateral movement (perpendicular to the length of the column). The larger the unbraced height of a column, its ability to resist applied loads is decreased. The tendency for a column to buckle about an axis under consideration is highly dependent on its slenderness ratio, KL/r, where K is the effective length factor (explained to the right), L is the unbraced length of the column, and r is the radius of gyration for the cross section. The AISI S100-16/ CSA S136-16 Specification recommends that such ratios not exceed 200 for compression members. Buckling must be considered in both principal directions for a column, with the smaller buckling load controlling the design. Remember that for members that are not doubly symmetric (e.g channels), the radius of gyration will be different for each principal direction.

## **Column Loading - Concentric**


A load applied at the center of gravity, C.G., of a column cross section is considered concentric. Such a load does not induce a bending moment in the column at the point of load application.

## **Column Loading - Eccentric**

A load applied away from the center of gravity, C.G., of a column cross section is considered eccentric (e.g. a load at the slotted face of an MT channel). Such a load induces a bending moment in the column at the point of load application and, consequently, results in a lower allowable column load compared to a concentrically loaded condition. Columns with higher slenderness ratios are particularly sensitive to eccentrically applied axial loads.

## **Column Support Conditions**

A column's allowable load capacity depends considerably on its support (end) conditions. Variations in support conditions for a column are addressed via an Effective Length Factor, K, which modifies a non-pinned-end column's unbraced height to represent that of an equivalent pinned-end column. Accordingly, the K value for a pinned-end column is 1.0. See the figure below for applicable K values to be used for certain column support conditions.






## 3.0 MODULAR SUPPORT SYSTEM


## 3.1.2 MT BEAM AND COLUMN LOAD TABLES

### Table 11 - Beam Load, Shear, and Moment Diagrams


#### **Simply-Supported Beams**




#### **Cantilever Beams**



#### Beams Fixed at One End and Supported at the Other



#### **Beams Fixed at Both Ends**



- W: Uniformly Distributed Load
- L: Beam Span Length
- R<sub>i</sub>: Reaction at Left End
- R<sub>R</sub>: Reaction at Right End
- V: Shear
- V ..... Maximum Shear
- M: Moment
- M<sub>max</sub>: Maximum Moment
- P: Concentrated (Point) Load
- E: Modulus of Elasticity
- I: Moment of Inertia
- $\Delta_{max}$ : Maximum Deflection of Beam



Table 12 - Load and Deflection Factors for Beams

Span and Loading Condition		Load Factor	Deflection Factor
Simple Beam - Uniform Load	W L TOPA	1.00	1.00
Simple Beam - Concentrated Load at Mid-span	L 17	0.50	0.80
Simple Beam - Two Equal Concentrated Loads at 1/4 Points	L/4 P L/2 P L/4	1.00	1.10
Beam Fixed at Both Ends - Uniform Load	W	1.50	0.30
Beam Fixed at Both Ends - Concentrated Load at Mid-span	L2 P L2	1.00	0.40
Cantilever Beam - Uniform Load	W	0.25	2.40
Cantilever Beam - Concentrated Load at End	L	0.12	3.20
Continuous Beam - Two Equal Spans, Uniform Load on One Span	W L MAN L MAN	1.3	0.92
Continuous Beam - Two Equal Spans, Uniform Load on Both Spans	W L THE L THE	1.00	0.42
Continuous Beam - Two Equal Spans, Concentrated Load at Center of One Span	P L nghi	0.62	0.71
Continuous Beam - Two Equal Spans, Concentrated Load at Center of Both Spans		0.67	0.48

The allowable beam load tables in this technical guide are for single-span supported beams with uniform loading. Common arrangements of other load and support conditions are shown in the above table. Loads and deflections for these conditions can be determined by multiplying the load value from the tables by the given load and deflection factors. Additional reduction factors for unbraced beam lengths may apply per the tables on page 49.

4'-0"

#### EXAMPLE 1

Determine the maximum allowable load and deflection for an MT-50 fully braced cantilever beam with a concentrated load at the unsupported end.

### SOLUTION:


- Allowable load and deflection for an MT-50 with a 48" span from Table 19 on Page 35 is 1,000 lbs and 0.24".
- 2. Multiply by factors from above table: Load = (1,000 lbs -1.97 x 4) x 0.12 = 119 lbs Deflection = 0.24" x 3.20 = 0.77"

#### EXAMPLE 2

Determine the maximum allowable load and deflection for a two-span MT-70 fully braced continuous beam that is uniformly loaded on one span.

### SOLUTION:


- 1. Allowable load and deflection for an MT-70 with a 48" span from Table 25 on Page 37 is 2,520 lbs and 0.28".
- 2. Multiply by factors from above table: Load = (2,520 lbs -2.64 x 4) x 1.3 = 3,260 lbs Deflection = 0.28" x 0.92 = 0.26"





## 3.0 MODULAR SUPPORT SYSTEM

## 3.1.2 MT BEAM AND COLUMN LOAD TABLES





Span




Table 22 - MT-60 Allowable Beam Loads: X-axis Bending<sup>1,2,3,4,5,6</sup>

	chang						
	Max	Defl.	Uniform Loading at Deflection				
Span in (cm)	Allowable Uniform Load Ibs (N)	At Max Uniform Load in (cm)	Span/180 lbs (N)	Span/240 lbs (N)	Span/360 lbs (N)		
24	4,135	0.03	4,135	4,135	4,135		
(61.0)	(18,390)	(0.08)	(18,390)	(18,390)	(18,390)		
36	2,755	0.07	2,755	2,755	2,755		
(91.4)	(12,250)	(0.18)	(12,250)	(12,250)	(12,250)		
48	2,065	0.13	2,065	2,065	2,065		
(121.9)	(9,185)	(0.33)	(9,185)	(9,185)	(9,185)		
60	1,650	0.20	1,650	1,650	1,360		
(152.4)	(7,335)	(0.51)	(7,335)	(7,335)	(6,045)		
72	1,375	0.29	1,375	1,375	945		
(182.9)	(6,115)	(0.74)	(6,115)	(6,115)	(4,200)		
84	1,180	0.40	1,180	1,040	695		
(213.4)	(5,245)	(1.01)	(5,245)	(4,625)	(3,090)		
96	1,030	0.52	1,030	795	530		
(243.8)	(4,580)	(1.31)	(4,580)	(3,535)	(2,355)		
108	915	0.65	840	630	420		
(274.3)	(4,070)	(1.66)	(3,735)	(2,800)	(1,865)		
120	825	0.81	680	510	340		
(304.8)	(3,665)	(2.05)	(3,020)	(2,265)	(1,510)		
144	685	1.16	470	355	235		
(365.8)	(3,045)	(2.96)	(2,090)	(1,575)	(1,045)		
168	590	1.58	345	260	170		
(426.7)	(2,620)	(4.02)	(1,530)	(1,155)	(755)		
192	515	2.07	265	195	130		
(487.7)	(2,290)	(5.26)	(1,175)	(865)	(575)		
216	455	2.62	210	155	105		
(548.6)	(2,020)	(6.65)	(930)	(685)	(465)		
240	410	3.23	170	125	85 (375)		

Table 23 - MT-60 Allowable Beam Loads: Y-axis Bending<sup>1,2,3,4,5,6</sup>

	Max	Defl.	Uniform Loading at Deflection				
	Allowable Uniform	At Max Uniform					
Span	Load	Load	Span/180	Span/240	Span/360		
			' '	' '	' '		
in (cm)	lbs (N)	in (cm)	lbs (N)	lbs (N)	lbs (N)		
24	3,960	0.06	3,960	3,960	3,960		
(61.0)	(17,610)	(0.15)	(17,610)	(17,610)	(17,610)		
36	2,640	0.13	2,640	2,640	2,015		
(91.4)	(11,740)	(0.33)	(11,740)	(11,740)	(8,960)		
48	1,980	0.23	1,980	1,700	1,130		
(121.9)	(8,805)	(0.59)	(8,805)	(7,560)	(5,025)		
60	1,580	0.36	1,450	1,085	725		
(152.4)	(7,025)	(0.92)	(6,445)	(4,825)	(3,220)		
72	1,320	0.52	1,005	755	500		
(182.9)	(5,870)	(1.33)	(4,470)	(3,355)	(2,220)		
84	1,130	0.71	740	555	370		
(213.4)	(5,025)	(1.81)	(3,290)	(2,465)	(1,645)		
96	990	0.93	565	425	280		
(243.8)	(4,400)	(2.36)	(2,510)	(1,890)	(1,245)		
108	880	1.18	445	335	220		
(274.3)	(3,910)	(2.99)	(1,975)	(1,490)	(975)		
120	790	1.45	360	270	180		
(304.8)	(3,510)	(3.69)	(1,600)	(1,200)	(800)		
144	660	2.09	250	185	125		
(365.8)	(2,935)	(5.32)	(1,110)	(820)	(555)		
168	565	2.85	185	135	90		
(426.7)	(2,510)	(7.24)	(820)	(600)	(400)		
192	495	3.72	140	105	70		
(487.7)	(2,200)	(9.46)	(620)	(465)	(310)		
216	440	4.71	110	80	55		
(548.6)	(1,955)	(11.97)	(485)	(355)	(240)		
240	395	5.82	90	65	45		
(609.6)	(1,755)	(14.78)	(400)	(285)	(200)		

Table 24 - MT-60 Allowable Column Loads<sup>1,2,6,7,8,9</sup>

TUDIC 24	1011 007	Allowabic					
	Max	Maximum Column Load Applied at C.G.					
Unbraced Height in (cm)	Allowable Load at Channel Face Ibs (N)	K = 0.65 lbs (N)	K = 0.80 lbs (N)	K = 1.0 lbs (N)	K = 1.2 lbs (N)		
24	5,340	15,420	14,005	12,045	10,145		
(61.0)	(23,750)	(68,590)	(62,295)	(53,575)	(45,125)		
36	4,630	12,290	10,145	7,630	5,725		
(91.4)	(20,595)	(54,665)	(45,125)	(33,935)	(25,465)		
48	3,690	9,255	6,890	4,885	3,780		
(121.9)	(16,410)	(41,165)	(30,645)	(21,725)	(16,810)		
60	2,865	6,720	4,885	3,580	2,845		
(152.4)	(12,740)	(29,890)	(21,725)	(15,920)	(12,655)		
72	2,325	5,070	3,780	2,845	2,305		
(182.9)	(10,340)	(22,550)	(16,810)	(12,655)	(10,250)		
84	1,940	4,065	3,095	2,375	1,945		
(213.4)	(8,625)	(18,080)	(13,765)	(10,560)	(8,650)		
96	1,660	3,400	2,635	2,050	1,690		
(243.8)	(7,380)	(15,120)	(11,720)	(9,115)	(7,515)		
108	1,460	2,935	2,305	1,810	1,490		
(274.3)	(6,490)	(13,055)	(10,250)	(8,050)	(6,625)		
120	1,310	2,590	2,050	1,615	**		
(304.8)	(5,825)	(11,520)	(9,115)	(7,180)			
144 (365.8)	1,090 (4.845)	2,110 (9.385)	1,690 (7.515)	**	**		

#### Notes:

- 1. Loads are based on ICC-ES ESR-5019 and AISI S100-16, the North American Specification for the Design of Cold-Formed Steel Structural Members.
- 2. Safety factors for flexure and compression are 1.67 and 1.80, respectively.
- 3. Allowable beam loads in table are given in total uniform load (W \* Span) and based on a uniformly loaded condition with simply supported ends. For other loading and support conditions, see page 32 for applicable load and deflection modification factors.
- 4. Beams spans in table are assumed to be sufficiently laterally braced. Unbraced spans may reduce beam load carrying capacity. See page 49 for reduction factors for unbraced conditions.
- Profile weight, 2.83 lbs/ft (41.30 N/m), must be deducted from allowable beam load values.
- Multiply tabulated load values by 1.5 to obtain Load and Resistance Factor Design (LRFD) values.
- 7. C.G. is the 'Center of Gravity' of the cross section.
- 8. \*\* indicates KL/r for compression exceeds 200.
- 9. Maximum allowable load at channel face assumes K value of 0.8.






Table 57 - MT Beam Load Reduction Factors for Laterally Unbraced Channels<sup>1,2,3,4</sup>

10010 01	- Wil Beam Load Neddollon Lactors for Eaterany Choraced Chainless							
Span	MT	MT-20		MT-30		MT-50		-60
in (cm)	x-axis	y-axis	x-axis	y-axis	x-axis	y-axis	x-axis	y-axis
12 (30.5)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
24 (51.0)	1.00	1.00	1.00	1.00	0.93	1.00	0.91	1.00
36 (91.4)	0.98	1.00	0.86	0.90	0.79	0.95	0.89	1.00
48 (121.9)	0.90	1.00	0.86	0.81	0.75	0.90	0.76	1.00
60 (152.4)	0.83	1.00	0.83	0.71	0.70	0.69	0.64	1.00
72 (182.9)	0.77	0.95	0.81	0.62	0.66	0.69	0.54	1.00
84 (213.3)	-	-	0.78	0.53	0.63	0.69	0.46	0.99
96 (243.8)	-	-	0.76	0.45	0.59	0.69	0.41	0.97
108 (274.3)	-	-	0.74	0.40	0.57	0.69	0.37	0.94
120 (304.8)	-	-	0.72	0.35	0.54	0.67	0.35	0.92
144 (365.8)	-	-	0.69	0.29	0.49	0.60	0.31	0.86
168 (426.7)	-	-	0.65	0.25	0.44	0.53	0.28	0.79
192 (487.7)	-	-	0.61	0.22	0.41	0.46	0.26	0.73
216 (548.6)	-	-	0.58	0.19	0.38	0.41	0.24	0.68
240 (609.6)	-	-	0.54	0.17	0.35	0.36	0.23	0.62

<sup>1.</sup> Linear interpolation is not permitted.

Table 58 - MT Beam Load Reduction Factors for Laterally Unbraced Girders<sup>1,2</sup>

Span	MT-70 MT-80		MT-90	MT-100
in (cm)	x- and y-axis	x- and y-axis	x- and y-axis	x- and y-axis
24 (51.0)	1.00	1.00	1.00	1.00
36 (91.4)	1.00	1.00	1.00	1.00
48 (121.9)	1.00	1.00	1.00	1.00
60 (152.4)	1.00	1.00	1.00	1.00
72 (182.9)	1.00	1.00	1.00	1.00
84 (213.3)	1.00	1.00	1.00	1.00
96 (243.8)	1.00	1.00	1.00	1.00
108 (274.3)	1.00	1.00	1.00	1.00
120 (304.8)	1.00	1.00	1.00	1.00
144 (365.8)	1.00	1.00	1.00	1.00
168 (426.7)	1.00	1.00	1.00	1.00
192 (487.7)	1.00	1.00	1.00	1.00
216 (548.6)	1.00	1.00	1.00	1.00
240 (609.6)	1.00	1.00	1.00	1.00

<sup>1.</sup> No reductions to the published allowable MT beam load capacities herein are required for unbraced girder spans up to 240 inches.

<sup>2.</sup> Reduction factors in table are based on loading through the shear center of the cross section. The impact of torsion is not accounted for in these values.

<sup>3.</sup> Reduction factors are to be applied to the tabulated beam load values for fully braced spans. Additional modification factors based on loading and support conditions may apply per Table 12 on page 32.

<sup>4.</sup> Tabulated values conservatively assume a value for the lateral torsional-buckling modification factor, C<sub>b</sub>, of 1.0.

Additional modification factors based on loading and support conditions may apply per Table 12 on page 32.