

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers								
		2251348	2251352	2251360	2345534	2253927	2254431	2260054
Tool Description	Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
SL 2-22 Task light	2243000							
SL 6-22 Area light	2242907							
SF 4-22 Drill driver	2253847							
SF 4H-22 Drill driver	2253841							
SF 6H-22 Hammer drill driver	2254917							
SID 4-22 Compact impact driver	2324412							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers								
		2251348	2251352	2251360	2345534	2253927	2254431	2260054
Tool Description	Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
SID 6-22 Impact driver	2246798							
SID 4R-22 Impact driver	2349980							
SIW 4R-22 Impact wrench	2349981							
SIW 4AT-22 Impact wrench	2291232							
SIW 6-22 Impact wrench	2251622							
SIW 8-22 Impact wrench	2251631							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers								
		2251348	2251352	2251360	2345534	2253927	2254431	2260054
Tool Description	Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
NPR 24-22 Press tool	2313476							
NPR 32-22 Press tool	2252526							
NPR 32 XL-22 Press tool	2320251							
NCT 25 S-22 Cable cutter	2252501							
NCT 45 S-22 Cable cutter	2252506							
NCT 85 C-22 Cable cutter	2252513							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers								
		2251348	2251352	2251360	2345534	2253927	2254431	2260054
Tool Description	Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
NCT 53 C-22 Cable cutter	2252509							
NUN 54-22 Crimper	2252533							
NCR 60 D-22 Crimper	2252477							
NCR 120-22 Crimper	2252473							
NPU 100-22 Knockout punch	3801437							
TE 2-22 (G03) Rotary hammer	2256700							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers								
		2251348	2251352	2251360	2345534	2253927	2254431	2260054
Tool Description	Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
TE 4-22 (G03) Rotary hammer	2253092							
TE 5-22 Rotary hammer	2327368							
TE 6-22 (G05) Rotary hammer	2253085							
TE 30-22 Combihammer	2253115							
TE 60-22 Combihammer	2253099							
TE 500-22 Breaker	2309293							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers								
		2251348	2251352	2251360	2345534	2253927	2254431	2260054
Tool Description	Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
TE 2000-22 Breaker	2313260							
NCV 4-22 Concrete pencil vibrator	2352795							
NCV 10-22 Concrete backpack vibrator	2352089							
NMX 6-22 Paddle mixer	2333178							
NBL 4-22 Blower	2352719							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers								
		2251348	2251352	2251360	2345534	2253927	2254431	2260054
Tool Description	Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
SC 30WL-22 Blade left circular saw	2243855							
SC 30WR-22 Blade right circular saw	2232913							
SC 4WL-22 Circular saw	2237130							
SC 5ML-22 Cordless circular saw	2229101							
SC 4MR-22 Circular saw	2351361							
SR 6-22 Reciprocating saw	2240583							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers								
		2251348	2251352	2251360	2345534	2253927	2254431	2260054
Tool Description	Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
SR 4-22 Reciprocating saw	2240574							
SJT 6-22 Orbital jig saw	2251329							
SJD 6-22 Orbital jig saw	2251188							
SB 4-22 Band saw	2251589							
SB 6-22 Wide mouth band saw	2358827							
SCO 6-22 Cut-out tool	2252193							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers								
		2251348	2251352	2251360	2345534	2253927	2254431	2260054
Tool Description	Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
AG 6D-22 (5") Angle grinder	2215472							
AG 6D-22 (6") Angle grinder	2215473							
AG 4S-22 (4.5"/5") Angle grinder	2248340							
AG 5D-22 (5") Angle grinder	2270844							
GFB 6X-22 Band file	2252752							
GPB 6X-22 Burnisher	2252750							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers								
		2251348	2251352	2251360	2345534	2253927	2254431	2260054
Tool Description	Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
GTB 6X-22 Tube belt sander	2252751							
GDG 6-22 Die grinder	2267005							
DSH 600-22 Hand-held battery cut-off saw	2251533							
DSH 700-22 Cut-off saw	3821501							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers								
		2251348	2251352	2251360	2345534	2253927	2254431	2260054
Tool Description	Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
SSH 6-22 Shear	2252736							
SPN 6-22 CN Nibbler	2252737							
SPN 6-22 RN Nibbler	2316430							
BX 3-ME-22 Battery-actuated tool	2253766							
BX 3-22 Battery-actuated tool	2253761							

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers								
		2251348	2251352	2251360	2345534	2253927	2254431	2260054
Tool Description	Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
HDE 500-22 Dispenser	3779078							
CD 4-22 Caulking dispenser	2250119*							
SD 5000-22 Drywall screwdriver	2248353							
DWP 15-22 Water supply unit	2315588							
VC 75-1-22 Vacuum	2248004							

* Image shown has both 20 oz and 10 oz which are different item numbers.

- While ALL NURON batteries are compatible with ALL NURON tools, Hilti recommends specific batteries to be sold with each tool because they offer the best balance of performance, run time and weight for each tool.
- When two batteries are available for a tool (for example, B22-85 and B22-170,) note that the B22-85 optimizes size and weight while the B22-170 offers higher performance and run time with added weight.
- Charger performance has two factors: how much power can the charger provide and how much charge can the battery receive. The C 8-22 Charger does not charge B22-55 or B22-85 any faster than the C 6-22 or C 4-22 Chargers.
- Tool, battery, and application determine the best battery and charger combination. For example, while the SL 6-22 can run all day on a B 22-255, this combination does not require a C 8-22 due to 8 hours of run time. Alternatively, a TE 2000-22 can be continuously used with (2) B22-255s and will require (2) C 8-22 to perform at the optimum level.
- C 6-22 and C 8-22 Chargers both include fans that help cool batteries for faster charging when batteries are hot. Selling C 6-22 chargers when C 4-22 is recommended may make sense when price is a lower concern for the customer.

Hilti recommended for sale with tool
 Compatible, may be too large or heavy for most work with tool

Compatible, will have low run time for applications on this tool

All NURON chargers compatible with all NURON batteries

NURON Batteries and Chargers								
		2251348	2251352	2251360	2345534	2253927	2254431	2260054
Tool Description	Item No.	B22-55	B22-85	B22 -170	B22-255	C4-22	C6-22	C8-22
VC 140-2-22 Vacuum	2254438							
R 6-22 Radio	2260689							