

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2125103-2
Report Reference E522519-20210614
Date 5-Nov-2021

Issued to: Hilti North America
7250 Dallas Parkway, Suite 1000 | Plano, TX
United States 75024

This is to certify that representative samples of IFFX7 - Luminaire Fittings Certified for Canada
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 250.0-18, 4th Ed., Issue Date: 2018-08-28

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-2125103-2
Report Reference E522519-20210614
Date 5-Nov-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Model MW-EB 3/8 L 3.0 6ft/2m,-10ft/3m, - 20ft/6m with 3/8 in. eyebolt 3mm wire and channel lock	Luminaire Fittings
Model MW-LP L 2.0 6ft/2m -10ft/3m,- 20ft/6m with Loop, 2 mm wire and lock	Luminaire Fittings
MW-EB 1/4 L 2.0 6ft/2m, -10ft/3m, -20ft/6m, with ¼ in. eyebolt 2 mm wire and lock	Luminaire Fittings
MW-LP L 3.0 6ft/2m -10ft/3m,- 20ft/6m with Loop,3 mm wire and lock.	Luminaire Fittings



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2130177-2
Report Reference E522519-20210614
Date 5-Nov-2021

Issued to: Hilti North America
7250 Dallas Parkway, Suite 1000 | Plano, TX
United States 75024

This is to certify that representative samples of IFFX - Luminaire Fittings
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1598, 5th Ed., Issue Date: 2021-03-26, Revision Date: 2021-06-18

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>




CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-2130177-2
Report Reference E522519-20210614
Date 5-Nov-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Model MW-EB 3/8 L 3.0 6ft/2m,-10ft/3m, - 20ft/6m with 3/8 in. eyebolt 3mm wire and channel lock	Luminaire Fittings
Model MW-LP L 2.0 6ft/2m -10ft/3m,- 20ft/6m with Loop, 2 mm wire and lock	Luminaire Fittings
MW-EB 1/4 L 2.0 6ft/2m, -10ft/3m, -20ft/6m, with ¼ in. eyebolt 2 mm wire and lock	Luminaire Fittings
MW-LP L 3.0 6ft/2m -10ft/3m,- 20ft/6m with Loop,3 mm wire and lock.	Luminaire Fittings



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

