

The following excerpt are pages from the North American
Product Technical Guide Volume 3: Modular Support Systems
Technical Guide, Edition 1.

Please refer to the publication in its entirety for complete details on this product including load values, approvals/listings, general suitability, finishes, quality, etc.

To consult directly with a team member regarding our modular support system products, contact Hilti's team of technical support specialists between the hours of 7:00am – 6:00pm CST.

US: 877-749-6337 or HNATechnicalServices@hilti.com

CA: 1-800-363-4458, ext. 6 or CATechnicalServices@hilti.com



3.0 MODULAR SUPPORT SYSTEM 3.2.9 MT BEAM CLAMPS MT-BC-GXL T OC

Description

Girder beam clamp - MT-90 and MT-100.


Corrosion Protection Hot-Dipped Galvanized (HDG)

MT-BC-GXL T OC

Ordering Information

Description	Weight Per Piece lbs (kg)	Quantity Piece(s)	Item No.
MT-BC-GXL T OC	4.67 (2.12)	10	2273589

Figure 101 - MT Girder-to-Steel



A. MT-90/100




Table 251 - Allowable Strength Design (ASD) Load Data^{1,2,3,4,5}

F _z Ib (kN)	
6,500	
(28.92)	

- Safety factor, Ω , for tabulated values is 2.0.
- Tabulated values represent the total allowable load on a pair of beam clamps. The load resisted by a single beam clamp must not exceed 3,250 lbs (14.46 kN).
- Multiply tabulated values by 1.5 to obtain minimum Load and Resistance Factor Design (LRFD) values.
- 4. The design professional must account for moment decoupling when the applied loads do not occur between the pair of beam clamps. 5. See Figure 101.

Table 252 - Limit State Design (LSD) Load Data^{1,2,3,4}



F _z lb (kN)	
9,745 (43.37))

- 1. Resistance factor, ϕ , for tabulated values is 0.75.
- Tabulated values represent the total factored design load on a pair of beam clamps. The load resisted by a single beam clamp must not exceed 4,870 lbs (21.68 kN).

 3. The design professional must account for moment decoupling when the applied loads do
- not occur between the pair of beam clamps.
- 4. See Figure 101.

120 2023