



All loading and design criteria supplied by customer is assumed accurate. Only the stated Design Assumptions were considered, and must be verified by the responsible Engineer of Record (EOR). The basis of Hilti component and connection design is the published data in the current Hilti Technical Guide, including material and cross-section properties, allowable load values, factors of safety, methods of calculation, and limiting factors. The EOR must verify suitability for any specific application, and the capacity of the supportive structure to receive the shown configuration and associated reaction loads. Modification to components and/or design may alter performance and must be evaluated by the

PLATFORM

SERVICE REQUEST DESCRIPTION:

STAND ALONE


DESIGNED BY:	REVIEWED BY:
CAA	AJV
DRAWN BY:	ISSUE DATE:
HAM	25 FEB 15

NO:	DESCRIPTION:	DATE:
<u>A</u>	ORIGINAL ISSUE	25 FEB 15
_		
_		
_		
_		
_		
_		
_		
_		
_		-
_		
_		
_		
_		
_		
_		-

SERVICE REQUEST NUMBER:

PL - SA03 - C

1/4






All loading and design criteria supplied by customer is assumed accurate. Only the stated Design Assumptions were considered, and must be verified by the responsible Engineer of Record (EOR). The basis of Hilti component and connection design is the published data in the current Hilti Technical Guide, including material and cross-section properties, allowable load values, factors of safety, methods of calculation, and limiting factors. The EOR must verify suitability for any specific application, and the capacity of the supportive structure to receive the shown configuration and associated reaction loads. Modification to components and/or design may alter performance and must be evaluated by the

	DESIGNED BY:	REVIEWED BY:
1	CAA	AJV
}		
	DRAWN BY:	ISSUE DATE:
	HAM	25 FEB 15

NO:	DESCRIPTION:	DATE:
<u>A</u>	ORIGINAL ISSUE	25 FEB 15
_		
l —		
l —		
l —		
l —		
_		
l —		
l —		
l —		
l —		
-	-	
l —		
l —		
-		
l —		
l —		
-		
l —		
_		

2/4







NOTE(S):

1. REFER TO SHEET 1 FOR APPLICABLE NOTE(S).



All loading and design criteria supplied by customer is assumed accurate. Only the stated Design Assumptions were considered, and must be verified by the responsible Engineer of Record (EOR). The basis of Hilti component and connection design is the published data in the current Hilti Technical Guide, including material and cross-section properties, allowable load values, factors of safety, methods of calculation, and limiting factors. The EOR must verify suitability for any specific application, and the capacity of the supportive structure to receive the shown configuration and associated reaction loads. Modification to components and/or design may alter performance and must be evaluated by the EOR.

	PRO.	JECT	NAME
--	------	------	------

PLATFORM

SERVICE REQUEST DESCRIPTION:

STAND ALONE

	DESIGNED BY:	REVIEWED BY:
1	CAA	AJV
<u> </u>		
	DRAWN BY:	ISSUE DATE:
	HAM	25 FEB 15

REVISIONS:

NO:	DESCRIPTION:	DATE:
<u>A</u>	ORIGINAL ISSUE	25 FEB 15
_		
_		
_		
_		
_		
_		
_		
_		
_		
_		-
_		
_		-
_		
_		
_		

SERVICE REQUEST NUMBER:

PL - SA03 - C

DRAWING NUMBER: SH

01

3/4

