

ISOMETRIC


Maximum "H" (in)	Allowable Vertical Load (lbs)	Allowable Transverse Load (lbs)	Allowable Longitudinal Load (lbs)
48	6714	0	0
48	790	237	0
48	583	0	175
60	6714	0	0
60	625	187	0
60	458	0	137
72	6714	0	0
72	500	150	0
72	375	0	112

MIC-S120-X

Beam Width Table

Х	'B' Width	Item No.
Α	2.9 to 6.5	304818
В	6.5 to 9.2	304819
С	9.2 to 11.8	304820

No.	Unit Qty	Unit	Description	Box Qty	# Boxes Needed	Item No.
1	AS REQ'D	EA	GIRDER MI-120 3M	1	AS REQ'D	304800
2	AS REQ'D	EA	GIRDER MI-90 3M	1	AS REQ'D	304798
3	1	EA	CONNECTOR U-BOLT MIC-UB90-M16	6	1	304834
4	2	EA	CONNECTOR PIPE SHOE MIC-PG	10	1	304842
5	2	EA	GIRDER END CAP MIA-EC90	25	1	432077
6	1	EA	CONNECTOR MIC-S120-X STEEL (SEE TABLE)	2	1	VARIES
7	4	EA	BEAM CLAMP MI-SGC-M12	16	1	233859
8	1	EA	CONNECTOR MIC-90-LH	3	1	2048107
9	4	EA	EASYHAND SCREW MIA-EH90	10	1	304887
10	4	EA	PREVAIL TORQUE HEX NUT M12-F-SL-WS 3/4"	100	1	382897
11	4	EA	TOOTHED PLATE MIA-TP	20	1	305707



NOTE(S):

- 1. ALLOWABLE LOADS CONSIDER APPROPRIATE LOAD FACTORS AND LOAD COMBINATIONS PER APPLICABLE CODES AND STANDARDS.
- 2. ALL LOADS ASSUMED TO ACT AT HORIZONTAL € OF PIPE(S) WHICH ARE SITTING DIRECTLY ON TOP OF MI GIRDER, U.N.O.
- 3. VERTICAL LOAD APPLIED WITH ONE HORIZONTAL LOAD AT A TIME.
- 4. PIPE HORIZONTAL OFFSET FROM MI POST € = 0"



All loading and design criteria supplied by customer is assumed accurate. Only the stated Design Assumptions were considered, and must be verified by the responsible Engineer of Record (EOR). The basis of Hilti component and connection design is the published data in the current Hilti Technical Guide, including material and cross-section properties, allowable load values, factors of safety, methods of calculation, and limiting factors. The EOR must verify suitability for any specific application, and the capacity of the supportive structure to receive the shown configuration and associated reaction loads. Modification to components and/or design may alter performance and must be evaluated by the FOR

PROJECT NAME:

TYPICAL DETAILS

SERVICE REQUEST DESCRIPTION:

PIPING T-POST STEEL

DESIGNED BY:	REVIEWED BY:
AJV	ISE
DRAWN BY:	ISSUE DATE:
HAM	02 DEC 14

ΚE	VI	SIC	N:

NO:	DESCRIPTION:	DATE:
<u>A</u>	ORIGINAL ISSUE	02 DEC 14
_		
_		
_		
_		
_	 -	
_		
_		
_		
_		-
_		
_		
_		
_		
_		-

SERVICE REQUEST NUMBER:

TD-P-TP01-S

DRAWING NUMBER:	SHEET:
01	1/1