UL Product **iQ**®



VFXT.EX2709 - Hangers, Pipe

Hangers, Pipe

HILTI INC

7250 Dallas Pky , Legacy Tower Suite 1000 Plano, TX 75024 United States

Pipe hangers

Model Designation	Hanger Type	Rod Size	NPS*	Comments
00257366	Universal Beam Clamp	3/8	Up to 4	-
00257367	Universal Beam Clamp	1/2	Up to 8	-
00257368	Universal Beam Clamp	5/8	Up to 10	-
00257369	Universal Beam Clamp	3/4	Up to 12	-
00306600	Universal Beam Clamp	3/8	Up to 4	-
00306601	Universal Beam Clamp	1/2	Up to 8	-
00306602	Universal Beam Clamp	3/8	Up to 4	-
00306603	Universal Beam Clamp	1/2	Up to 8	-
вс	Universal Beam Clamp	3/4	Up to 10	-
вс	Universal Beam Clamp	5/8	Up to 10	-
вс	Universal Beam Clamp	1/2	Up to 8	-
ES	Eyelet	3/8	Up to 4	-
LH	Band Hanger	1/2	8	EG (electro-galvanized), HD (felt-lined over EG), FL (hot-dipped)
OES	Offset Eyelet	3/8	Up to 4	-
SDC-EG	Clevis Hanger	1/2	2-1/2, 3, 3-1/2	-
SDC-EG	Clevis Hanger	5/8	4, 5	-
SDC-EG	Clevis Hanger	3/4	6, 8	-

Cast-in-place concrete installations:

Model	Hanger	Rod		
Designation	Туре	Size	NPS*	Comments

https://iq.ulprospector.com/en/profile?e=159465

EX2709

VFXT.EX2709 - Hangers, Pipe | UL Product iQ

KCM-MD SP 1/4-Cast-in-place3/8Concrete Insert		3/8	Up to 4	Also suitable for air-handling spaces.	
KCM-MD SP 1/4-	Cast-in-place	3/8	Up to 4	Also suitable for air-handling spaces	
3/8-1/2	Concrete Insert	1/2	Up to 8		
KCM-MD SP 3/8-	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.	
1/2		1/2	Up to 8	Also suitable for air-handling spaces.	
KCM-MD SP 3/8-	Cast-in-place	3/8	Up to 4	Also suitable for air-handling spaces.	
1/2-5/8	Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.	
		5/8	Up to 8	When installed on lower flute, either on or to the side of the center rib line. Also suitable for air-handling spaces.	
		5/8	Up to 12	When installed on upper flute. Also suitable for air-handling spaces	
KCM-MD SP 5/8- 3/4	SP 5/8- Cast-in-place Concrete Insert		Up to 8	When installed on the lower flute to the side of the center rib line.	
		5/8, 3/4	Up to 12	Also suitable for air-handling spaces.	
KCM-MD LP 1/4- 3/8	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.	
KCM-MD LP 1/4-3/8-	Cast-in-place	3/8	Up to 4	Also suitable for air-handling space	
1/2	Concrete Insert	1/2	Up to 8		
KCM-MD LP 3/8-	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.	
1/2		1/2	Up to 8	Also suitable for air-handling spaces.	
KCM-MD LP 3/8-	Cast-in-place	3/8	Up to 4	Also suitable for air-handling spaces.	
1/2-5/8	Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.	
		5/8	Up to 8	When installed on lower flute, either on or to the side of the center rib line. Also suitable for air-handling spaces.	
		5/8	Up to 12	When installed on upper flute. Also suitable for air- handling spaces	
KCM-MD LP 5/8- 3/4	Cast-in-place Concrete Insert	5/8, 3/4	Up to 12	Also suitable for air-handling spaces.	
KCM-PD-1/4-3/8	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.	
KCM-PD-3/8-1/2- 5/8	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.	
KCM-PD-3/8-1/2- 5/8	Cast-in-place Concrete Insert	1/2, 5/8	Up to 8	Also suitable for air-handling spaces.	

KCM-PD-3/8-1/2- 5/8-3/4	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCM-PD-3/8-1/2- 5/8-3/4	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.
KCM-PD-3/8-1/2- 5/8-3/4	Cast-in-place Concrete Insert	5/8, 3/4	Up to 12	Also suitable for air-handling spaces.
KCM-WF-1/4-3/8	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCM-WF-1/4-3/8-1/2	Cast-in-place	3/8	Up to 4	Also suitable for air-handling spaces
	Concrete Insert	1/2	Up to 8	
KCM-WF-3/8-1/2	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCM-WF-3/8-1/2	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.
KCM-WF-3/8-1/2- 5/8	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCM-WF-3/8-1/2- 5/8	Cast-in-place Concrete Insert	1/2, 5/8	Up to 8	Also suitable for air-handling spaces.
KCM-WF-3/8-1/2- 5/8-3/4	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.
KCM-WF-3/8-1/2- 5/8-3/4	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.
KCM-WF-3/8-1/2- 5/8-3/4	Cast-in-place Concrete Insert			Also suitable for air-handling spaces.
KCM-WF-5/8-3/4	Cast-in-place Concrete Insert	5/8, 3/4	Up to 12	Also suitable for air-handling spaces.
KCS-WF Cast-in-place 3/8 Up to 4 Concrete Insert Image: Concrete Insert Image: Concrete Insert Image: Concrete Insert		Up to 4	Also suitable for air-handling spaces.	
KCS-WF Cast-in-place 5/8 Up to 8 Concrete Insert		Up to 8	Also suitable for air-handling spaces.	
KCS-WF	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.
KCS-WF	Cast-in-place Concrete Insert	3/4	Up to 8	Also suitable for air-handling spaces.
KCC-MD-LP 3/8 Cast-in-place 3/8 Up to 4 Concrete Insert		Up to 4	Also suitable for air-handling spaces.	
KCC-MD-LP 1/2Cast-in-place Concrete Insert1/2Up to 8		Up to 8	Also suitable for air-handling spaces.	
KCC-MD-SP 3/8	Cast-in-place Concrete Insert	3/8	Up to 4	Also suitable for air-handling spaces.

KCC-MD-SP 1/2	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.
KCC-WF 3/8Cast-in-place Concrete Insert		3/8	Up to 4	Also suitable for air-handling spaces.
KCC-WF 1/2	Cast-in-place Concrete Insert	1/2	Up to 8	Also suitable for air-handling spaces.

LP = Long Plate

MD = Metal Decking

PD = Pan Decking

SP = Short Plate

WF = Wood Form

For installation in concrete:

Model Designation	Hanger Type	Rod Size	NPS*	Comments
HDI 1/2	Drop-In Anchor	1/2	Up to 8	-
HDI 3/4	Drop-In Anchor	3/4	Up to 12	-
HDI 3/8	Drop-In Anchor	3/8	Up to 4	-
HDI 5/8	Drop-In Anchor	5/8	Up to 12	-
HDI+	Drop-In Anchor	3/8	Up to 4	-
HDI+	Drop-In Anchor	1/2	Up to 8	-
HDI-L 1/2	Drop-In Anchor	1/2	Up to 8	-
HDI-L 3/8	Drop-In Anchor	3/8	Up to 4	-
HDI-L+	Drop-In Anchor	3/8	Up to 4	-
HDI-L+	Drop-In Anchor	1/2	Up to 8	-
HDI-P TZ 3/8	Expansion Anchor	3/8	Up to 4	-
HDV 1/2	Drop-In Anchor	1/2	Up to 8	-
HDV 3/8	Drop-In Anchor	3/8	Up to 4	-
КВ1	Expansion Anchor	3/8	Up to 4	-
КВ1	Expansion Anchor	1/2	Up to 8	-
КВ1	Expansion Anchor	5/8	Up to 10	Minimum 3-1/4" nominal embedment depth
КВ1	Expansion Anchor	5/8	Up to 12	Minimum 4-1/2" nominal embedment depth
KB1	Expansion Anchor	3/4	Up to 12	-
				1
Kwik Bolt 3-1/2	Expansion Anchor	1/2	Up to 8	-

2/4

https://iq.ulprospector.com/en/profile?e=159465

1/4/2	23, 11:32 AM		V	FXT.EX2709 - H	langers, Pipe UL Product iQ
ļ	Kwik Bolt 3-3/4	Expansion Anchor	3/4	Up to 12	-
	Kwik Bolt 3-3/8	Expansion Anchor	3/8	Up to 4	-
	Kwik Bolt 3-5/8	Expansion Anchor	5/8	Up to 12	-
	Kwik Bolt TZ 1/2	Expansion Anchor	1/2	Up to 8	-
	Kwik Bolt TZ 3/4	Expansion Anchor	3/4	Up to 12	-
	Kwik Bolt TZ 3/8	Expansion Anchor	3/8	Up to 4	-
	Kwik Bolt TZ 5/8	Expansion Anchor	5/8	Up to 12	-
	KB-TZ2	Expansion Anchor	3/8	Up to 4	Minimum 1-7/8" nominal embedment depth
	KB-TZ 2	Expansion Anchor	1/2	Up to 8	Minimum 2-1/2" nominal embedment depth
	KB-TZ 2	Expansion Anchor	5/8	Up to 10	Minimum 3-1/4" nominal embedment depth
	KB-TZ 2	Expansion Anchor	5/8	Up to 12	Minimum 3-3/4" nominal embedment depth
	KB-TZ 2	Expansion Anchor	3/4	Up to 12	Minimum 3-3/4" nominal embedment depth

*NPS = Nominal Pipe Size

Last Updated on 2022-10-11

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2023 UL LLC."