

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 4/8/2025 Issue date: 4/8/2025 Supersedes: 4/5/2024 Version: 2.1

### **SECTION 1: Identification**

### 1.1. Identification

Product form Article

Trade name Synthetic diamond impregnated segments

Product code BU Diamond

Other means of identification Floor Saw - SP-S 350-600mm, MXS (BF-M-CXH-155-S-22, BF-M-CXH-170-S-22), Bench Saw

SP-S 300-350mm, MXL (BF-M-CXH-155-L-22, BF-M-CXH-170-L-22), HCS (BF-H-CMH-155-S-22, BF-H-CMH-170-S-22), LCU / MCS (BF-LM-CMH-140-U-22, BF-LM-CMH-155-U-22), LCU

(BF-L-CMH-125-U-22), MCS (BF-M-CMH-170-S-22)

### 1.2. Recommended use and restrictions on use

Recommended use Grinding materials
Restrictions on use For professional use only

### 1.3. Supplier

#### Supplier

Hilti, Inc.

Legacy Tower, Suite 1000 7250 Dallas Parkway US TX 75024 Plano

USA

T+19724035800

1-800-879-8000 toll free, F +1 918 254 0522

us-sales@hilti.com

### Department issuing data specification sheet

Hilti AG

Feldkircherstraße 100 FL 9494 Schaan Liechtenstein T +423 234 2111

product.compliance-power.tools@hilti.com

### 1.4. Emergency telephone number

Emergency number Emergency CONTACT (24-Hour-Number)

GBK/Infotrac ID 101022 (USA domestic) 1 800 535 5053 or international (001) 352 323 3500

### SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

### **GHS-US** classification

Not classified

### 2.2. GHS Label elements, including precautionary statements

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

04/08/2025 US-OSHA - en Page 1



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Common Name (Synonyms)	Product identifier	%	GHS-US classification
Iron	iron / iron, chip / iron, foil / iron, granule / iron, wire	CAS-No.: 7439-89-6	15 – 70	Not classified
copper	copper bronze, powder / copper, powder	CAS-No.: 7440-50-8	5 – 60	Not classified
Cobalt		CAS-No.: 7440-48-4	10 – 30	Acute Tox. 4 (Oral), H302 Resp. Sens. 1B, H334 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350 Repr. 1B, H360
Tin	alpha-tin / silver matt / tin	CAS-No.: 7440-31-5	<= 1.5	Not classified
Manganese	colloidal manganese / manganese, chip / manganese, elemental / manganese, flakes / manganese, metal / manganese, slabs	CAS-No.: 7439-96-5	<= 1.5	Not classified
Chromium	chromium / chromium, metal	CAS-No.: 7440-47-3	0.1 – 1	Not classified

Full text of hazard classes and H-statements : see section 16

### **SECTION 4: First-aid measures**

4.1. Descr	iption of first aid	l measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. When symptoms occur: go into

open air and ventilate suspected area.

First-aid measures after skin contact Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention.

First-aid measures after eye contact Rinse eyes with water as a precaution. If eye irritation persists: Get medical advice/attention. First-aid measures after ingestion

Rinse mouth.

US-OSHA - en 04/08/2025 2/15



### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.2. Most important symptoms and effects (acute and delayed)

Potential adverse human health effects and

Irritation: may cause irritation to the respiratory system.

symptoms

Symptoms/effects after inhalation May cause respiratory irritation. Symptoms/effects after eye contact May cause severe irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

### **SECTION 5: Fire-fighting measures**

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media Use extinguishing agent suitable for surrounding fire. Water. Sand. Foam. Carbon dioxide.

Unsuitable extinguishing media Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard Not flammable.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

No additional information available

### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

No additional information available

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Shovel into suitable and closed container for disposal.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed Normal use of this product shall imply use in accordance with the instructions on the packaging

and in line with the expectations of a professional user.

Precautions for safe handling The product should not be used for purposes other than those shown above without first

referring to the supplier and obtaining written handling instructions.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Store in a dry place.

04/08/2025 US-OSHA - en 3/15



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 8: Exposure controls/personal protection**

SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
Synthetic diamond impregnated segments		
No additional information available		
Cobalt (7440-48-4)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Cobalt and inorganic compounds as Co	
ACGIH OEL TWA	0.02 mg/m³	
Remark (ACGIH)	Pneumonitis	
Regulatory reference	ACGIH 2024	
USA - ACGIH - Biological Exposure Indices		
Local name	Cobalt and inorganic compounds	
BEI	$15\mu\text{g/l}$ Parameter: Cobalt - Medium: urine - Sampling time: End of shift at end of workweek - Notations: Ns	
Regulatory reference	ACGIH 2024	
USA - OSHA - Occupational Exposure Limits		
Local name	Cobalt metal, dust, and fume (as Co)	
OSHA PEL TWA	0.1 mg/m³	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
copper (7440-50-8)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Copper, as Cu	
ACGIH OEL TWA	0.2 mg/m³	
Remark (ACGIH)	TLV® Basis: Irr; GI; metal fume fever	
Regulatory reference	ACGIH 2024	
USA - OSHA - Occupational Exposure Limits		
Local name	Copper	
OSHA PEL TWA	0.1 mg/m³ (Fume (as Cu)) 1 mg/m³ (Dusts and mists (as Cu))	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Tin (7440-31-5)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Tin and inorganic compounds, excluding Tin hydride and Indium tin oxide, as Sn	
ACGIH OEL TWA	2 mg/m³ (Inhalable fraction)	
Remark (ACGIH)	Non fibrous = TLV® Basis: URT irr Fibrous (including whiskers) = TLV® Basis: Mesothelioma; cancer. Notations: A2 (Suspected Human Carcinogen)	

04/08/2025 US-OSHA - en 4/15



Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Tin (7440-31-5)			
Regulatory reference	ACGIH 2024		
USA - OSHA - Occupational Exposure Limits			
Local name	Tin		
OSHA PEL TWA	2 mg/m³ (inorganic compounds (except oxides) (as Sn)) 0.1 mg/m³ (organic compounds (as Sn))		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1		
Iron (7439-89-6)			
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA	10 mg/m³ as iron oxide dust or fume		
Manganese (7439-96-5)			
USA - ACGIH - Occupational Exposure Limits			
Local name	Manganese		
ACGIH OEL TWA	0.02 mg/m³		
Remark (ACGIH)	CNS impair; A4		
Regulatory reference	ACGIH 2024		
USA - OSHA - Occupational Exposure Limits			
Local name	Manganese		
OSHA PEL C	5 mg/m³ compounds (as Mn) 5 mg/m³ fume (as Mn)		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1		
Chromium (7440-47-3)			
USA - ACGIH - Occupational Exposure Limits			
Local name	Metallic chromium, as Cr(0)		
ACGIH OEL TWA	0.5 mg/m³ (Inhalable fraction)		
Remark (ACGIH)	TLV® Basis: Resp tract irr		
Regulatory reference	ACGIH 2024		
USA - ACGIH - Biological Exposure Indices			
Local name	Chromium		
BEI	0.7 μg/l Parameter: Total chromium - Medium: urine - Sampling time: End of shift at end of workweek - Notations: Pop		
Regulatory reference	ACGIH 2024		
USA - OSHA - Occupational Exposure Limits	•		
Local name	Chromium		
OSHA PEL TWA	0.5 mg/m³ (II) compounds (as Cr) 0.5 mg/m³ (III) compounds (as Cr) 1 mg/m³ metal and insol. salts (as Cr)		

04/08/2025 US-OSHA - en 5/15



### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chromium (7440-47-3)	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

### 8.2. Appropriate engineering controls

Appropriate engineering controls

Ensure good ventilation of the work station. Use dust removal system, vacuum cleaner, air cleaner; cooling water cleaner (Hilti WMS system).

### 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Dust formation: dust mask. In case of dust production: protective goggles. Gloves. Protective clothing.

		* **			
Materials for protective c	lothing:				
Condition		Material			
		Flame retardant protective clothing			
Hand protection:					
Wear leather gloves.					
Туре	Material	Permeation	Thickness (mr	n)	Penetration
	leather gloves				
Eye protection:					
Safety glasses					
Туре		Field of application Characteristics		s	
Safety glasses		Dust			
Skin and body protection	:				
Wear suitable protective cl	othing				
Respiratory protection:					
Where exposure through in	nhalation may occur from use	e, respiratory protection equipm	ent is recommend	ded	
Device		Filter type		Condition	
				Dust protection	

### Personal protective equipment symbol(s):









### Other information:

Hazardous dust of the workpiece material may be generated during grinding / drilling and / or sanding operations. National regulations for dust exposure limit values have to be taken into consideration as part of the job hazard assessment.

Most of the dust generated during grinding is from the base material being ground and the potential hazard from this exposure must be evaluated. This dust may present a fire or dust explosion hazard and may present a serious health hazard.

04/08/2025 US-OSHA - en 6/15



### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state

Colour Silver-grey to copper-colored

odourless Odour

Odour threshold No data available No data available No data available Melting point Freezing point No data available Boiling point No data available No data available Flash point Relative evaporation rate (butylacetate=1) No data available Flammability (solid, gas) No data available Vapour pressure No data available Relative vapour density at 20°C No data available No data available Relative density Solubility insoluble in water. Partition coefficient n-octanol/water (Log Pow) No data available No data available Auto-ignition temperature Decomposition temperature > 400 °C No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosive limits** No data available Explosive properties No data available

### 9.2. Other information

Oxidising properties

No additional information available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Product is not explosive.

No data available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) Not classified

04/08/2025 US-OSHA - en 7/15



### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity (dermal) Not classified Acute toxicity (inhalation) Not classified

Acute toxicity (dermar) Acute toxicity (inhalation)	Not classified  Not classified
Cobalt (7440-48-4)	
LD50 oral rat	550 mg/kg bodyweight (OECD 425 method)
LD50 oral	550 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 15 day(s))
copper (7440-50-8)	
LC50 Inhalation - Rat (Dust/Mist)	> 5.11 mg/l/4h (OECD 436 method)
Tin (7440-31-5)	
LD50 oral rat	> 2000 mg/kg (OECD 423 method);No mortality with the given dose
LD50 dermal rat	> 2000 mg/kg (OECD 402 method);No mortality with the given dose
LC50 Inhalation - Rat	> 4.75 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity), Remarks on results: not determinable due to absence of adverse toxic effects
LC50 Inhalation - Rat (Dust/Mist)	> 4.75 mg/l (OECD 403 method);No mortality with the given dose
Iron (7439-89-6)	
LD50 oral rat	98600 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 - 28 day(s))
LC50 Inhalation - Rat	> 0.25 mg/l (6 h, Rat, Male, Experimental value, Inhalation (dust), 28 day(s))
Manganese (7439-96-5)	
LD50 oral rat	> 2000 mg/kg (OECD 420 method)
LD50 oral	2500 mg/kg
LC50 Inhalation - Rat	> 5.14 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 14 day(s))
LC50 Inhalation - Rat (Dust/Mist)	> 5.14 mg/l/4h (OECD 403 method)
Chromium (7440-47-3)	
LD50 oral rat	> 5000 mg/kg ((OECD 420 method); <tx:kft_read-across>)</tx:kft_read-across>
LC50 Inhalation - Rat	> 5.41 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 5.41 mg/l/4h ((OECD 403 method); <tx:kft_read-across>)</tx:kft_read-across>
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Cobalt (7440-48-4)	
IARC group	2A - Probably carcinogenic to humans
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen
04/08/2025 US-OSI	HA - en 8/15

04/08/2025 US-OSHA - en 8/15



Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Chromium (7440-47-3)		
IARC group	3 - Not classifiable	
Reproductive toxicity	Not classified	
STOT-single exposure	Not classified	
STOT-repeated exposure	Not classified	
Tin (7440-31-5)		
NOAEL (subacute, oral, animal/female, 28 days)	> 1000 mg/kg bodyweight/day (OECD 407 method)	
Chromium (7440-47-3)		
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	≥ 0.0044 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)	
Aspiration hazard	Not classified	
Viscosity, kinematic	No data available	
Likely routes of exposure	Inhalation.	
Potential adverse human health effects and symptoms	Irritation: may cause irritation to the respiratory system.	
Symptoms/effects after inhalation	May cause respiratory irritation.	
Symptoms/effects after eye contact	May cause severe irritation.	

### **SECTION 12: Ecological information**

12.1. Toxicity	
Cobalt (7440-48-4)	
LC50 - Fish [1]	> 100 (96h; Danio rerio; OECD 203)
EC50 72h - Algae [1]	0.035 mg/l (Pseudokirchnerella subcapitata)
ErC50 algae	0.144 mg/l
NOEC (acute)	3.2 mg/l (48h; Daphnia magna; OECD 202)
NOEC chronic crustacea	0.00683 mg/l
Tin (7440-31-5)	
ErC50 algae	> 19.2 μg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Tin)
LOEC (chronic)	0.2 mg/l (7d; Ceriodaphnia dubia; EPA 1002.0)
Manganese (7439-96-5)	
LC50 - Fish [1]	> 3.6 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value)
EC50 - Crustacea [1]	> 1.6 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
ErC50 algae	4.5 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value)
Chromium (7440-47-3)	
EC50 - Crustacea [1]	13.1 – 14.7 mg/l Test organisms (species): Daphnia magna

04/08/2025 US-OSHA - en 9/15



### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability	
Cobalt (7440-48-4)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
copper (7440-50-8)	
Persistence and degradability	Not applicable for inorganic substances.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Tin (7440-31-5)	
Persistence and degradability	Not applicable for inorganic substances.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Iron (7439-89-6)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Manganese (7439-96-5)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Chromium (7440-47-3)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
12.3. Bioaccumulative potential	
Cobalt (7440-48-4)	
BCF - Fish [1]	< 10 (Pisces, Fresh water, Literature study)
BCF - Other aquatic organisms [1]	< 300 (Invertebrata, Literature study)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
	1

04/08/2025 US-OSHA - en 10/15



### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

copper (7440-50-8)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
Tin (7440-31-5)		
Bioaccumulative potential	Not applicable for inorganic substances.	
Iron (7439-89-6)		
Bioaccumulative potential	Not bioaccumulative.	
Manganese (7439-96-5)		
Bioaccumulative potential	not bioaccumulable.	
Chromium (7440-47-3)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
12.4. Mobility in soil		
Cobalt (7440-48-4)		
Ecology - soil	No (test)data on mobility of the substance available.	
copper (7440-50-8)		
Ecology - soil	Adsorbs into the soil.	
Tin (7440-31-5)		
Surface tension	Not applicable (water solubility < 1 mg/l)	
Ecology - soil	Adsorbs into the soil.	
Iron (7439-89-6)		
Surface tension	No data available in the literature	
Ecology - soil	Low potential for mobility in soil.	
Manganese (7439-96-5)		
Ecology - soil	No (test)data on mobility of the substance available.	
01 1 (7440 47 0)		

### 12.5. Other adverse effects

Chromium (7440-47-3)

Surface tension

Ecology - soil

Other information Do not allow the product, as is, to spread into the environment.

### **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Regional waste regulation Disposal must be done according to official regulations.

Product/Packaging disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Avoid release to the

No data available in the literature

No (test)data on mobility of the substance available.

environment.

Ecological information Avoid release to the environment. Hazardous waste due to toxicity.

04/08/2025 US-OSHA - en 11/15



Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not applicable	Not applicable	Not regulated	Not regulated
14.2. Proper Shipping Name			
Not applicable	Not applicable	Not regulated	Not regulated
14.3. Transport hazard class(e	5)		
Not applicable	Not applicable	Not regulated	Not regulated
14.4. Packing group			
Not applicable	Not applicable	Not regulated	Not regulated
14.5. Environmental hazards			
Not applicable	Not applicable	Not regulated	Not regulated

### 14.6. Special precautions for user

DOT

Not applicable

**TDG** 

Not applicable

IMDG

Not regulated

IATA

Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.				
Cobalt	CAS-No. 7440-48-4	10 – 30%		
copper	CAS-No. 7440-50-8	5 – 60%		
Manganese	CAS-No. 7439-96-5	<= 1.5%		
Chromium	CAS-No. 7440-47-3	0.1 – 1%		

04/08/2025 US-OSHA - en 12/15



### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

copper (7440-50-8)	
CERCLA RQ	5000 lb

Chromium (7440-47-3)	
CERCLA RQ	5000 lb

### 15.2. International regulations

### Cobalt (7440-48-4)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)

### 15.3. US State regulations

MARNING:

This product can expose you to Cobalt metal powder, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date 04/08/2025

Full text of H-statements		
H302	Harmful if swallowed.	
H317	May cause an allergic skin reaction.	
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	
H360	May damage fertility or the unborn child.	

Abbreviations and acronyms		
CAS-No.	Chemical Abstract Service number	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	

04/08/2025 US-OSHA - en 13/15



### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Abbreviations and acronyms		
EC-No.	European Community number	
EC50	Median effective concentration	
ED	Endocrine disrupting properties	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
IOELV	Indicative Occupational Exposure Limit Value	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
N.O.S.	Not Otherwise Specified	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
TRGS	Technical Rules for Hazardous Substances	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
WGK	Water Hazard Class	
vPvB	Very Persistent and Very Bioaccumulative	

NFPA health hazard

1 - Materials that, under emergency conditions, can cause significant


NFPA fire hazard

0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and

NFPA reactivity

0 - Material that in themselves are normally stable, even under fire

conditions.



04/08/2025 US-OSHA - en 14/15



### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard Rating

Health 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability 0 Minimal Hazard - Materials that will not burn

Physical 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Indication of changes:				
Section	Changed item	Change	Comments	
8.1	Occupational Exposure Limits	Modified		

SDS\_US\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

04/08/2025 US-OSHA - en 15/15